

"B" Section V-belts



Michigan Industrial Belting Inc.

31617 Glendale St.

Livonia, MI 48150

1-800-778-1650

www.mibelting.com



"B" V belt 5/8" X 7/16" THICK X 40° ANGLE

We have years of experience & service under our belts

<i>Part #</i>	<i>Outside Length</i>	<i>Fhp#</i>	<i>Metric #</i>	<i>Weight (lbs)</i>
B19	22.0	(5L220)	16C558	0.3
B20	23.0	(5L230)	16C584	0.3
B21	24.0	(5L240)	16C609	0.3
B22	25.0	(5L250)	16C635	0.3
B23	26.0	(5L260)	16C660	0.3
B24	27.0	(5L270)	16C685	0.3
B25	28.0	(5L280)	16C710	0.3
B26	29.0	(5L290)	16C735	0.3
B27	30.0	(5L300)	16C760	0.3
B28	31.0	(5L310)	16C785	0.3
B29	32.0	(5L320)	16C810	0.3
B30	33.0	(5L330)	16C835	0.3
B31	34.0	(5L340)	16C860	0.3
B32	35.0	(5L350)	16C885	0.3
B32.5	35.5	(5L355)	16C901	0.3
B33	36.0	(5L360)	16C910	0.3
B33.5	36.5	(5L365)	16C927	0.3
B34	37.0	(5L370)	16C935	0.3
B35	38.0	(5L380)	16C965	0.4
B36	39.0	(5L390)	16C990	0.4
B37	40.0	(5L400)	16C1015	0.4
B38	41.0	(5L410)	16C1040	0.4
B38.5	41.5	(5L415)	16C1054	0.4
B39	42.0	(5L420)	16C1065	0.4
B40	43.0	(5L430)	16C1090	0.4
B41	44.0	(5L440)	16C1115	0.4
B42	45.0	(5L450)	16C1140	0.4
B43	46.0	(5L460)		0.4

<i>Part #</i>	<i>Outside Length</i>	<i>Fhp#</i>	<i>Metric #</i>	<i>Weight (lbs)</i>
B44	47.0	(5L470)	16C1190	0.5
B45	48.0	(5L480)	16C1215	0.5
B46	49.0	(5L490)	16C1240	0.5
B47	50.0	(5L500)	16C1265	0.5
B48	51.0	(5L510)	16C1295	0.5
B49	52.0	(5L520)	16C1320	0.5
B50	53.0	(5L530)	16C1345	0.5
B51	54.0	(5L540)	16C1370	0.5
B52	55.0	(5L550)	16C1395	0.5
B53	56.0	(5L560)	16C1420	0.5
B54	57.0	(5L570)	16C1445	0.5
B54.5	57.5	(5L575)	16C1460	0.6
B55	58.0	(5L580)	16C1470	0.6
B56	59.0	(5L590)	16C1495	0.6
B57	60.0	(5L600)	16C1520	0.6
B58	61.0	(5L610)	16C1545	0.6
B59	62.0	(5L620)	16C1570	0.6
B60	63.0	(5L630)	16C1600	0.6
B61	64.0	(5L640)	16C1625	0.6
B62	65.0	(5L650)	16C1650	0.6
B63	66.0	(5L660)	16C1675	0.6
B64	67.0	(5L670)	16C1700	0.6
B65	68.0	(5L680)	16C1725	0.7
B66	69.0	(5L690)	16C1750	0.7
B67	70.0	(5L700)	16C1775	0.7
B68	71.0	(5L710)	16C1800	0.7
B69	72.0	(5L720)	16C1825	0.7
B70	73.0	(5L730)	16C1850	0.7

"B" Section V-belts



Michigan Industrial Belting Inc.

31617 Glendale St.

Livonia, MI 48150

1-800-778-1650

www.mibelting.com



"B" V belt 5/8" X 7/16" THICK X 40° ANGLE

We have years of experience & service under our belts

<i>Part #</i>	<i>Outside Length</i>	<i>Fhp#</i>	<i>Metric #</i>	<i>Weight (lbs)</i>
B71	74.0	(5L740)	16C1875	0.7
B72	75.0	(5L750)	16C1900	0.8
B73	76.0	(5L760)	16C1930	0.8
B74	77.0	(5L770)	16C1955	0.8
B75	78.0	(5L780)	16C1980	0.8
B76	79.0	(5L790)	16C2005	0.8
B77	80.0	(5L800)	16C2030	0.8
B78	81.0	(5L810)	16C2055	0.8
B79	82.0	(5L820)	16C2080	0.8
B80	83.0	(5L830)	16C2105	0.8
B81	84.0	(5L840)	16C2130	0.8
B82	85.0	(5L850)	16C2155	0.9
B83	86.0	(5L860)	16C2180	0.9
B84	87.0	(5L870)	16C2205	0.9
B85	88.0	(5L880)	16C2235	0.9
B86	89.0	(5L890)	16C2260	0.9
B87	90.0	(5L900)	16C2285	0.9
B88	91.0	(5L910)	16C2310	0.9
B89	92.0	(5L920)	16C2335	0.9
B90	93.0	(5L930)	16C2360	0.9
B91	94.0	(5L940)	16C2385	0.9
B92	95.0	(5L950)	16C2410	1.0
B93	96.0	(5L960)	16C2435	1.0
B94	97.0	(5L970)	16C2460	1.0
B95	98.0	(5L980)	16C2485	1.0
B96	99.0	(5L990)	16C2510	1.0
B97	100.0	(5L1000)	16C2535	1.0
B98	101.0		16C2565	1.0

<i>Part #</i>	<i>Outside Length</i>	<i>Fhp#</i>	<i>Metric #</i>	<i>Weight (lbs)</i>
B99	102.0		16C2590	1.0
B100	103.0		16C2615	1.0
B101	104.0		16C2640	1.1
B102	105.0		16C2665	1.1
B103	106.0		16C2690	1.1
B104	107.0		16C2715	1.1
B105	108.0		16C2740	1.1
B106	109.0		16C2765	1.1
B107	110.0		16C2790	1.1
B108	111.0		16C2815	1.1
B109	112.0		16C2840	1.1
B110	113.0		16C2870	1.2
B111	114.0		16C2895	1.2
B112	115.0		16C2920	1.2
B113	116.0		16C2946	1.2
B114	117.0		16C2970	1.2
B115	118.0		16C2995	1.2
B116	119.0		16C3020	1.2
B117	120.0		16C3045	1.2
B118	121.0		16C3070	1.2
B119	122.0		16C3095	1.2
B120	123.0		16C3120	1.2
B121	124.0		16C3149	1.2
B122	125.0		16C3175	1.2
B123	126.0		16C3200	1.3
B124	127.0		16C3225	1.4
B125	128.0		16C3250	1.4
B126	129.0		16C3275	1.4

"B" Section V-belts



Michigan Industrial Belting Inc.

31617 Glendale St.

Livonia, MI 48150

1-800-778-1650

www.mibelting.com



"B" V belt 5/8" X 7/16" THICK X 40° ANGLE

We have years of experience & service under our belts

<i>Part #</i>	<i>Outside Length</i>	<i>Fhp#</i>	<i>Metric #</i>	<i>Weight (lbs)</i>
B127	130.0		16C3302	1.4
B128	131.0		16C3325	1.4
B129	132.0		16C3352	1.4
B130	133.0		16C3375	1.5
B131	134.0		16C3403	1.5
B132	135.0		16C3425	1.5
B133	136.0		16C3450	1.5
B134	137.0		16C3475	1.5
B135	138.0		16C3505	1.5
B136	139.0		16C3530	1.5
B137	140.0		16C3556	1.5
B138	141.0		16C3580	1.5
B139	142.0		16C3606	1.5
B140	143.0		16C3630	1.5
B141	144.0		16C3655	1.5
B142	145.0		16C3680	1.6
B143	146.0		16C3708	1.6
B144	147.0		16C3730	1.6
B145	148.0		16C3759	1.6
B146	149.0		16C3780	1.6
B147	150.0		16C3810	1.6
B148	151.0		16C3835	1.6
B150	153.0		16C3885	1.6
B151	154.0		16C3911	1.6
B152	155.0		16C3935	1.6
B153	156.0		16C3962	1.6
B154	157.0		16C3985	1.6
B155	158.0		16C4013	1.6

<i>Part #</i>	<i>Outside Length</i>	<i>Fhp#</i>	<i>Metric #</i>	<i>Weight (lbs)</i>
B156	159.0		16C4035	1.6
B157	160.0		16C4060	1.6
B158	161.0		16C4085	1.6
B159	162.0		16C4114	1.6
B160	163.0		16C4140	1.6
B161	164.0		16C4165	1.7
B162	165.0		16C4190	1.7
B163	166.0		16C4216	1.7
B164	167.0		16C4240	1.7
B165	168.0		16C4265	1.7
B166	169.0		16C4292	1.7
B167	170.0		16C4318	1.8
B168	171.0		16C4340	1.8
B169	172.0		16C4368	1.8
B170	173.0		16C4390	1.8
B171	174.0		16C4419	1.8
B172	175.0		16C4440	1.8
B173	176.0		16C4470	1.8
B174	177.0		16C4495	1.8
B175	178.0		16C4520	1.8
B176	179.0		16C4545	1.8
B178	181.0		16C4597	1.8
B180	183.0		16C4645	1.8
B182	185.0		16C4695	1.8
B183	186.0		16C4724	1.8
B184	187.0		16C4745	1.8
B185	188.0		16C4775	1.8
B187	190.0		16C4826	1.8

"B" Section V-belts



Michigan Industrial Belting Inc.

31617 Glendale St.

Livonia, MI 48150

1-800-778-1650

www.mibelting.com



"B" V belt 5/8" X 7/16" THICK X 40° ANGLE

We have years of experience & service under our belts

<i>Part #</i>	<i>Outside Length</i>	<i>Fhp#</i>	<i>Metric #</i>	<i>Weight (lbs)</i>
B188	191.0		16C4851	1.8
B189	192.0		16C4876	1.8
B190	193.0		16C4900	1.8
B191	194.0		16C4925	2.0
B192	195.0		16C4953	2.0
B193	196.0		16C4978	2.0
B195	198.0		16C5025	2.0
B196	199.0		16C5054	2.0
B197	200.0		16C5080	2.0
B198	201.0		16C5105	2.0
B200	203.0		16C5156	2.0
B202	205.0		16C5207	2.0
B203	206.0		16C5230	2.0
B204	207.0		16C5257	2.0
B205	208.0		16C5280	2.0
B206	209.0		16C5308	2.0
B208	211.0		16C5359	2.1
B210	213.0		16C5410	2.1
B212	215.0		16C5461	2.1
B213	216.0		16C5486	2.1
B214	217.0		16C5510	2.1
B215	218.0		16C5537	2.1
B216	219.0		16C5562	2.1
B217	220.0		16C5588	2.1
B218	221.0		16C5613	2.1
B220	223.0		16C5660	2.3
B221	224.0		16C5685	2.3
B223	226.0		16C5740	2.3

<i>Part #</i>	<i>Outside Length</i>	<i>Fhp#</i>	<i>Metric #</i>	<i>Weight (lbs)</i>
B225	227.0		16C5750	2.3
B228	230.0		16C5825	2.3
B229	231.0		16C5867	2.3
B230	232.0		16C5892	2.3
B232	234.0		16C5943	2.3
B235	237.0		16C6019	2.3
B236	238.0		16C6045	2.3
B237	239.0		16C6070	2.3
B240	242.0		16C6130	2.4
B245	247.0		16C6273	2.5
B248	250.0		16C6350	2.5
B249	251.0		16C6375	2.5
B250	252.0		16C6385	2.5
B251	253.0		16C6426	2.5
B253	255.0		16C6460	2.5
B255	257.0		16C6515	2.6
B257	259.0		16C6578	2.6
B259	261.0		16C6629	2.6
B265	267.0		16C6765	2.7
B270	272.0		16C6895	2.7
B276	278.0		16C7061	2.7
B280	282.0		16C7150	2.8
B285	287.0		16C7275	2.9
B290	292.0		16C7416	2.9
B292	294.0		16C7467	2.9
B293	295.0		16C7493	2.9
B300	302.0		16C7655	3.0
B310	312.0		16C7924	3.0

"B" Section V-belts



Michigan Industrial Belting Inc.

31617 Glendale St.

Livonia, MI 48150

1-800-778-1650

www.mibelting.com



"B" V belt 5/8" X 7/16" THICK X 40° ANGLE

We have years of experience & service under our belts

<i>Part #</i>	<i>Outside Length</i>	<i>Fhp#</i>	<i>Metric #</i>	<i>Weight (lbs)</i>
B315	317.0		16C8035	3.2
B326	328.0		16C8331	3.2
B330	332.0		16C8420	3.3
B340	342.0		16C8686	3.3
B341	343.0		16C8712	3.3
B345	347.0		16C8051	3.3
B346	348.0		16C8839	3.6
B350	352.0		16C8940	3.6
B354	356.0		16C9042	3.6
B360	362.0		16C9194	3.6
B361	363.0		16C9205	3.6
B364	366.0		16C9280	3.6
B375	377.0		16C9575	4.0
B389	391.0		16C9931	4.0

<i>Part #</i>	<i>Outside Length</i>	<i>Fhp#</i>	<i>Metric #</i>	<i>Weight (lbs)</i>
B394	396.0		16C10058	4.2
B443	445.0		16C11290	4.4
B444	446.0		16C11328	4.5
B519	521.0		16C13233	5.4
B540	542.0		16C13766	5.4
B543	545.0		16C13830	5.4
B553	555.0		16C14080	5.5
B557	559.0		16C14198	5.75
B561	563.0		16C14300	5.8
B569	572.0		16C14528	5.9
B577	579.0		16C14706	6.0
B597	599.0		16C15214	6.3
B627	629.0		16C15976	6.5