

"C" Section V-belts



Michigan Industrial Belting Inc.

31617 Glendale St.

Livonia, MI 48150

1-800-778-1650

www.mibelting.com



"C" V belt 7/8" X 9/16" THICK X 40° ANGLE

We have years of experience & service under our belts

Part #	Outside Length	Metric #	Weight (lbs)
C36	40.0	22C1016	1.0
C38	42.0	22C1066	1.0
C40	44.0	22C1117	1.0
C43	47.0	22C1193	1.0
C44	48.0	22C1219	1.0
C46	50.0	22C1275	1.0
C47	51.0	22C1295	1.0
C48	52.0	22C1320	1.0
C49	53.0	22C1346	1.0
C50	54.0	22C1375	1.0
C51	55.0	22C1400	1.0
C52	56.0	22C1422	1.0
C53	57.0	22C1450	1.1
C54	58.0	22C1475	1.1
C55	59.0	22C1505	1.1
C56	60.0	22C1530	1.1
C57	61.0	22C1555	1.2
C58	62.0	22C1580	1.2
C59	63.0	22C1600	1.2
C60	64.0	22C1630	1.2
C61	65.0	22C1655	1.2
C62	66.0	22C1676	1.2
C63	67.0	22C1705	1.2
C64	68.0	22C1730	1.3
C65	69.0	22C1755	1.3
C66	70.0	22C1780	1.3
C67	71.0	22C1805	1.3
C68	72.0	22C1830	1.3

Part #	Outside Length	Metric #	Weight (lbs)
C70	74.0	22C1885	1.4
C71	75.0	22C1910	1.4
C72	76.0	22C1935	1.4
C73	77.0	22C1960	1.4
C74	78.0	22C1985	1.4
C75	79.0	22C2010	1.4
C76	80.0	22C2035	1.4
C77	81.0	22C2060	1.5
C78	82.0	22C2085	1.5
C79	83.0	22C2110	1.5
C80	84.0	22C2140	1.5
C81	85.0	22C2165	1.5
C82	86.0	22C2190	1.5
C83	87.0	22C2215	1.5
C84	88.0	22C2240	1.6
C85	89.0	22C2265	1.6
C86	90.0	22C2290	1.6
C87	91.0	22C2315	1.6
C88	92.0	22C2340	1.7
C89	93.0	22C2365	1.7
C90	94.0	22C2390	1.7
C91	95.0	22C2415	1.7
C92	96.0	22C2440	1.7
C93	97.0	22C2470	1.8
C94	98.0	22C2495	1.8
C95	99.0	22C2520	1.8
C96	100.0	22C2545	1.8
C97	101.0	22C2570	1.9

"C" Section V-belts




Michigan Industrial Belting Inc.

31617 Glendale St.

Livonia, MI 48150

1-800-778-1650

www.mibelting.com



"C" V belt 7/8" X 9/16" THICK X 40° ANGLE

We have years of experience & service under our belts

Part #	Outside Length	Metric #	Weight (lbs)
C99	103.0	22C2620	1.9
C100	104.0	22C2645	1.9
C101	105.0	22C2670	1.9
C102	106.0	22C2695	1.9
C103	107.0	22C2720	2.0
C104	108.0	22C2745	2.0
C105	109.0	22C2775	2.0
C106	110.0	22C2800	2.0
C107	111.0	22C2825	2.0
C108	112.0	22C2850	2.0
C109	113.0	22C2875	2.0
C110	114.0	22C2900	2.1
C111	115.0	22C2925	2.1
C112	116.0	22C2950	2.1
C113	117.0	22C2975	2.1
C114	118.0	22C3000	2.2
C115	119.0	22C3025	2.2
C116	120.0	22C3050	2.2
C117	121.0	22C3075	2.2
C118	122.0	22C3105	2.2
C119	123.0	22C3130	2.2
C120	124.0	22C3155	2.2
C121	125.0	22C3180	2.2
C122	126.0	22C3205	2.2
C123	127.0	22C3230	2.3
C124	128.0	22C3255	2.3
C125	129.0	22C3280	2.4
C126	130.0	22C3305	2.4
C127	131.0	22C3330	2.4

Part #	Outside Length	Metric #	Weight (lbs)
C128	132.0	22C3355	2.5
C129	133.0	22C3380	2.5
C130	134.0	22C3410	2.5
C131	135.0	22C3435	2.5
C132	136.0	22C3460	2.5
C133	137.0	22C3485	2.6
C134	138.0	22C3510	2.6
C135	139.0	22C3535	2.6
C136	140.0	22C3560	2.6
C137	141.0	22C3585	2.7
C138	142.0	22C3610	2.7
C139	143.0	22C3635	2.7
C140	144.0	22C3657	2.7
C141	145.0	22C3685	2.7
C142	146.0	22C3710	2.7
C143	147.0	22C3740	2.8
C144	148.0	22C3765	2.8
C145	149.0	22C3790	2.8
C146	150.0	22C3815	2.8
C147	151.0	22C3840	2.8
C148	152.0	22C3865	2.8
C149	153.0	22C3890	2.9
C150	154.0	22C3915	3.0
C151	155.0	22C3940	3.0
C152	156.0	22C3965	3.0
C153	157.0	22C3990	3.0
C154	158.0	22C4015	3.0
C155	159.0	22C4045	3.0
C156	160.0	22C4070	3.0

"C" Section V-belts



Michigan Industrial Belting Inc.

31617 Glendale St.

Livonia, MI 48150

1-800-778-1650

www.mibelting.com



"C" V belt 7/8" X 9/16" THICK X 40° ANGLE

We have years of experience & service under our belts

Part #	Outside Length	Metric #	Weight (lbs)
C157	161.0	22C4095	3.0
C158	162.0	22C4120	3.0
C159	163.0	22C4145	3.0
C160	164.0	22C4170	3.0
C161	165.0	22C4195	3.0
C162	166.0	22C4220	3.1
C163	167.0	22C4245	3.1
C164	168.0	22C4270	3.1
C165	169.0	22C4295	3.1
C166	170.0	22C4320	3.1
C167	171.0	22C4345	3.2
C168	172.0	22C4375	3.2
C169	173.0	22C4400	3.2
C170	174.0	22C4425	3.3
C171	175.0	22C4450	3.3
C172	176.0	22C4475	3.3
C173	177.0	22C4500	3.3
C174	178.0	22C4525	3.4
C175	179.0	22C4550	3.4
C176	180.0	22C4575	3.4
C177	181.0	22C4597	3.4
C178	182.0	22C4625	3.4
C180	184.0	22C4680	3.4
C181	185.0	22C4705	3.5
C182	186.0	22C4730	3.5
C183	187.0	22C4755	3.5
C184	188.0	22C4780	3.5
C185	189.0	22C4805	3.5
C186	190.0	22C4830	3.6

Part #	Outside Length	Metric #	Weight (lbs)
C187	191.0	22C4855	3.6
C188	192.0	22C4880	3.6
C189	193.0	22C4905	3.6
C190	194.0	22C4930	3.6
C193	197.0	22C5010	3.6
C194	198.0	22C5035	3.7
C195	199.0	22C5060	3.7
C196	200.0	22C5085	3.7
C197	201.0	22C5105	3.7
C198	202.0	22C5135	3.7
C200	204.0	22C5185	3.9
C201	205.0	22C5207	3.9
C202	206.0	22C5232	3.9
C204	208.0	22C5285	3.9
C205	209.0	22C5315	3.9
C206	210.0	22C5334	4.0
C207	211.0	22C5359	4.0
C208	212.0	22C5390	4.0
C209	213.0	22C5410	4.0
C210	214.0	22C5440	4.0
C212	216.0	22C5486	4.0
C214	218.0	22C5537	4.0
C215	219.0	22C5565	4.1
C216	220.0	22C5588	4.1
C218	222.0	22C5645	4.2
C220	224.0	22C5695	4.2
C223	227.0	22C5765	4.2
C225	227.0	22C5770	4.3
C228	230.0	22C5845	4.3

"C" Section V-belts




Michigan Industrial Belting Inc.

31617 Glendale St.

Livonia, MI 48150

1-800-778-1650

www.mibelting.com



"C" V belt 7/8" X 9/16" THICK X 40° ANGLE

We have years of experience & service under our belts

Part #	Outside Length	Metric #	Weight (lbs)
C230	232.0	22C5895	4.4
C235	237.0	22C6025	4.4
C236	238.0	22C6045	4.4
C238	240.0	22C6096	4.5
C240	242.0	22C6150	4.5
C244	246.0	22C6248	4.5
C245	247.0	22C6280	4.6
C246	248.0	22C6299	4.6
C248	250.0	22C6355	4.7
C250	252.0	22C6405	4.7
C251	253.0	22C6426	4.7
C255	257.0	22C6530	4.8
C259	261.0	22C6629	4.8
C260	262.0	22C6660	4.8
C262	264.0	22C6705	5.1
C264	266.0	22C6760	5.1
C265	267.0	22C6785	5.1
C269	271.0	22C6885	5.1
C270	272.0	22C6915	5.1
C272	274.0	22C6959	5.2
C275	277.0	22C7040	5.2
C276	278.0	22C7065	5.2

Part #	Outside Length	Metric #	Weight (lbs)
C280	282.0	22C7165	5.3
C285	287.0	22C7295	5.4
C290	292.0	22C7420	5.5
C291	293.0	22C7442	5.5
C295	297.0	22C7543	5.7
C297	299.0	22C7600	5.7
C300	302.0	22C7675	5.7
C303	305.0	22C7747	5.9
C314	316.0	22C8030	5.9
C315	317.0	22C8055	5.9
C330	332.0	22C8435	6.2
C340	342.0	22C8690	6.4
C345	347.0	22C8820	6.5
C348	350.0	22C8890	6.5
C349	351.0	22C8915	6.8
C360	362.0	22C9200	6.8
C390	392.0	22C9960	7.4
C420	422.0	22C10725	7.9
C450	452.0	22C11480	7.9
C480	482.0	22C12242	8.5
C551	553.0	22C14046	9.5